

CONTENTS

Brief Correspondence	Racial Variation in Membranous Urethral Length and Postprostatectomy Urinary Function	61
	<i>S.P. Basourakos, A. Ramaswamy, M. Yu, D.J. Margolis, J.C. Hu</i>	
Reviews	Oligorecurrent Prostate Cancer and Stereotactic Body Radiotherapy: Where Are We Now? A Systematic Review and Meta-analysis of Prospective Studies	19
	<i>G. Marvaso, S. Volpe, M. Pepa, M. Augugliaro, G. Corrao, A. Biffi, M. Zaffaroni, L. Bergamaschi, F.M. La Fauci, F.A. Mistretta, S. Luzzago, F. Cattani, G. Musi, G. Petralia, G. Pravettoni, O. De Cobelli, R. Orecchia, B.A. Jereczek-Fossa</i>	
	<p>In this work, we reviewed available evidence of the use of stereotactic body radiotherapy in treating oligometastatic prostate cancer patients. We found good evidence that radiotherapy brings important benefits in overall treatment efficacy without major side effects.</p>	
	Health Economic Evidence for Liquid- and Tissue-based Molecular Tests that Inform Decisions on Prostate Biopsies and Treatment of Localised Prostate Cancer: A Systematic Review	77
	<i>K. Degeling, A. Pereira-Salgado, N.M. Corcoran, P.C. Boutros, P. Kuhn, M.J. IJzerman</i>	
	<p>Health economic evaluations of tests to inform the management of localised prostate cancer have presented positive findings, although concerns regarding the evidence used and model assumptions at best indicate the potential of these tests and do not allow for strong conclusions.</p>	
Original Articles	Salvage Versus Primary Robot-assisted Radical Prostatectomy: A Propensity-matched Comparative Effectiveness Study from a High-volume Tertiary Centre	43
Prostate Cancer	<i>A. Nathan, M. Fricker, R. De Groot, A. Arora, Y. Phuah, K. Flora, S. Patel, V. Kasivisvanathan, A. Sridhar, G. Shaw, J. Kelly, T. Briggs, P. Rajan, P. Sooriakumaran, S. Nathan</i>	
	<p>We report the largest propensity-matched comparison of salvage robot-assisted radical prostatectomy (RARP) with primary RARP. Salvage RARP is a feasible procedure for the treatment of locally recurrent prostate cancer in high-volume centres.</p>	
	Accuracy of Prostate Magnetic Resonance Imaging: Reader Experience Matters	53
	<i>H.C. Kang, N. Jo, A.S. Bamashmos, M. Ahmed, J. Sun, J.F. Ward, H. Choi</i>	
	<p>The utility of prostate magnetic resonance imaging to accurately detect clinically significant prostate cancer depends on the radiologist's experience. Both histopathological feedback and volume of interpretations are likely important for the development of expertise.</p>	
	Surgeon Automated Performance Metrics as Predictors of Early Urinary Continence Recovery After Robotic Radical Prostatectomy—A Prospective Bi-institutional Study	65
	<i>A.J. Hung, R. Ma, S. Cen, J.H. Nguyen, X. Lei, C. Wagner</i>	
	<p>In this cohort study, machine learning anticipates urinary continence recovery at 3 mo (area under the curve 0.74) using surgeon performance metrics and clinical data. While clinical factors confound metrics ($\Delta\beta$ median -13.3%, interquartile range $[-28.2\%$ to $-6.5\%]$), top-ranked surgeon metrics remain independent predictors.</p>	

Bladder Cancer	<p>The Use of Urine <i>Mycobacterium tuberculosis</i> Complex Polymerase Chain Reaction as a Predictive Factor for Recurrence and Progression After Intravesical Bacillus Calmette-Guérin Therapy in Patients with Non-muscle-invasive Bladder Cancer</p> <p><i>S. Muto, Y. Lu, H. Ide, R. Yamaguchi, K. Saito, K. Kitamura, Y. Noma, H. Koyasu, H. Hirano, T. Ashizawa, S. Isotani, M. Nagata, S. Horie</i></p> <p>In intermediate- or high-risk non-muscle-invasive bladder cancer patients after intravesical bacillus Calmette-Guérin (BCG) therapy, <i>Mycobacterium tuberculosis</i> complex polymerase chain reaction (MTC-PCR) positivity at least once was a significant prognostic factor in recurrence. A new adequate biomarker, urine MTC-PCR, is very useful noninvasive surrogate marker to predict the recurrence after BCG therapy.</p>	10
Urothelial Cancer	<p>The Association Between Renal Function Decline and the Incidence of Urothelial Carcinoma: A 16-year Retrospective Cohort Study in Taiwan</p> <p><i>Y.-H. Chuang, I.-F. Lin, X.Q. Lao, C. Lin, T.-C. Chan</i></p> <p>We found a dose-response relationship between impaired renal function and incident urothelial carcinoma (UC) that was stronger for women than for men. In addition, the study confirms that smoking significantly increases UC risk and reveals that exposure to fine particulate matter (PM_{2.5}) may be an emerging risk factor for UC.</p>	1
Stone Disease	<p>Can a Dinosaur Think? Implementation of Artificial Intelligence in Extracorporeal Shock Wave Lithotripsy</p> <p><i>S. Muller, H. Abildsnes, A. Østvik, O. Kragset, I. Gangås, H. Birke, T. Langø, C.-J. Arum</i></p> <p>This pilot study shows the feasibility of using artificial intelligence to improve extracorporeal shockwave lithotripsy (ESWL) treatment of kidney stones. The results suggest that an algorithm trained and tested with a neural network can improve the ESWL efficacy.</p>	33
Reconstructive Urology	<p>Ectopic Germinal Centres with B and T Cells and Follicular Dendritic Cell Networks in Urethral Stricture Tissue: Possible Avenue for Immunological Treatments</p> <p><i>T.O. Ekerhult, O. Grimsholm, J. Magnusson, C. Kåbjörn Gustafsson, R. Peeker</i></p> <p>We observed germinal centres in patients with urethral stricture, which opens novel research avenues for the identification of possible supplementary immunological treatment strategies for this condition.</p>	88
Case Report	<p>Identifying the Molecular Mechanisms Contributing to Progression, Metastasis, and Death in Low-grade Non-muscle-invasive Bladder Cancer: A Case Report</p> <p><i>S. Weiß, S. Hallmann, S. Koch, S. Eidt, R. Stoehr, E. Veltrup, J. Roggisch, R.M. Wirtz, T.H. Ecke</i></p> <p>Alternative Management of a Pediatric Case of Hemorrhagic Cystitis due to BK Virus: Use of Thulium Laser Coagulation</p> <p><i>T.B. Aydogan, M. Binbay</i></p>	29
		73