

available at www.sciencedirect.com

journal homepage: www.eu-openscience.europeanurology.com



European Association of Urology



Corrigendum

Corrigendum re “21 – Urine exosomal miRNA profiles implicate the key role of TP53 in bladder cancer development” [Eur Urol Open Sci 2022;40(Suppl 1):S31–2] ☆

*E. Bitina-Barlote*¹, *J. Plonis*¹, *J.K. Vasiļonoks*², *E. Vjaters*¹, *J. Gardovskis*³, *Z. Daneberga*³,
*E. Miklaševičs*³, *M. Nakazawa-Miklaševiča*³

¹ Pauls Stradiņš Clinical University Hospital, Center of Urology, Riga, Latvia; ² Rīga Stradiņš University, Faculty of Medicine, Riga, Latvia; ³ Rīga Stradiņš University, Institute of Oncology, Riga, Latvia

In the original abstract, the title contained a misspelling of the word “implicate” and the total number of patients with bladder cancer was incorrectly given as 11. The correct number of 12 is as below.

Materials & Methods: The study analyzed urine samples from 12 BC (6 pTa or pT1 low-grade and 6 pT2 high-grade) and 7 healthy control patients, which were collected at Pauls Stradiņš Clinical University Hospital between 2018 and 2020.

☆ <https://www.sciencedirect.com/science/article/pii/S266616832200653X>.

<https://doi.org/10.1016/j.euros.2022.08.021>

2666-1683/© 2022 Published by Elsevier B.V. on behalf of European Association of Urology.

